

Elan Impression 344



Elan 344 Impression - Split ACI / Sibenik

Length:	10.30 m
Beam:	3.49 m
Draft:	1.60 m
Built:	2006/7
Shipyard:	Elan Yachts
Cabins:	3
Guests Capacity:	6+1
Crew:	On Request
Speed:	7.0 Knots

Sailing Croatia charter on board Elan 344 Impression with NYC Charters from Split and Sibenik.

Technical Specifications :

Length: 10.30 m
Beam: 3.49 m
Draft : 1.60 m
Built : 2006/7
Builder : Elan Yachts
Displacement: 5.900 kg
Mainsail and Genoa: 89 m²
Engine: VOLVO 29 HP
Fuel tank: 130 l
Water tank: 220 l
GPS + Plotter
Autopilot
Bimini top
Spray hood
Stern shower + platform + ladders
Dinghy + oars
Cabins : 3
Heads/ Toilets : 1
Berths : 6+1

Anchor container: El. anchor wick , Bower anchor , Stern anchor rope , Chain Engine room: Battery charger , Engine battery , Service battery Kitchen and cabins: Oven , Sink , El. refrigerator , Sheets, Dishes , Blankets, Hot water , Pilows & covers, Towels, Gas stove

Moorings: deck & locker: Ropes, Second anchor, Long 50 m , Short 10 m , Medium 30 m

On-Deck: Fenders , Radar reflector, Windex, Gangway, Full batten main sail, Cockpit table, Roll genoa, Bidge pump / manual , Outboard engine , Compass , Speedometer + echo sounder , Bimini true , Steering wheel , Croatian Flag , Wind direction indicator / el , Deck Shower true , Autopilot , Dinghy

Saloon: Nav-set Fire extinguisher , Boat documents , Pocket lamp VHF radio , Fog horn , Barometer / termometer , Instruction books, Socket 12 V , GPS chartplotter, Binoculars, Life belts, Bouy light , Socket 220 V, Hand reflector 12 V, Nautical guides, First aid kit , Navigation charters 1+2 , Signal rockets ,

Extension cord

Stern locker: Dinghy pump , Schore connection 220V , Bidge pump lever , Bucket with rope , Oars , Motor oil , Brush and sponge , Fuel funnel , Gas bottles , Water-hose , Boat Hook , Fuel canister Toilet: Shower , Shower drain pump , Brushes , Toilet pumps , Hot water Tools & spare parts: Impeller for cold water pump , Insulating tape, spare batteries , Chair for mast , Tool box , Dinghy repair kit , Winch handle

Images



